

**Session 4: EER: Extended (or Enhanced) ER Model**  
**(CH-2 and 3)**  
*CSCI-585 , Cyrus Shahabi*

- Example ER for a real-world problem
- *Generalization* is the result of computing the union of two or more entity sets (or *subclasses*) to produce a higher-level entity set (or *superclass*). It represents the containment relationship that exists between the higher-level entity set and one or more lower level entity sets.
- *Specialization* constructs the lower level entity sets that are a subset of higher-level entity set. Specialization is the reverse of generalization (for the remainder of this session we focus on specialization without loss of generality). Example:

(Attribute inheritance)

- There might exist many specialization of the same entity set based on different distinguishing characteristics. Hence, an entity can be a member of a number of subclasses. Example:





- Option 2: Same as option 1, but without creating a table for the superclass:

(Only if specialization is both *disjoint* and *total*)

- Option 3: A single table including all the attributes of the superclass and all subclasses, plus an extra *type attribute t* to indicate the subclass to which each tuple belongs:

(Only if specialization is *disjoint*; null value for *t* if *partial*; *t* can be the defining attribute for the predicate-defined specialization)

- Option 4: Same as option 3 except there are *m* Boolean *type attributes*, one for each subclass:

(This option can support *overlap* specialization)